

10/727852

cgc



Practitioner's Docket No.: 782_124 DIV2

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: US 6,850,009 B2
Issued: February 1, 2005
Name of Patentee(s): Norikazu NIIMI

Certificate

FEB 24 2005

of Correction

Title of Invention: JOINED BODY AND HIGH PRESSURE DISCHARGE LAMP

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ATTENTION:

Decision and Certificate of Correction
Branch of the Patent Issue Division

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on February 9, 2005.

Tara L. Preston
Tara L. Preston

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached, in duplicate, is Form PTO--1050, with at least one copy being suitable for printing.
2. The exact page and line number where the errors are shown correctly in the application file are:

Amendment filed August 31, 2004 (Listing of Claims)

Please send the Certificate to the undersigned representative.

Respectfully submitted,

February 9, 2005

Date

Stephen P. Burr
Stephen P. Burr
Reg. No. 32,970

SPB/tlp

BURR & BROWN
P.O. Box 7068
Syracuse, NY 13261-7068

Customer No.: 25191
Telephone: (315) 233-8300
Facsimile: (315) 233-8320

BAR 0-1 7m5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,850,009 B2
DATED : February 1, 2005
INVENTOR(S) : Norikazu NIIMI

It is hereby certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 12, line 47:

Please change "chase" to --phase--

Column 13, line 28:

Please change "baa" to --has--

Column 13, line 40:

Please add --a-- before "joining..."

Column 14, line 44:

Please change "rosin" to --main--

MAILING ADDRESS OF SENDER:

PATENT NO.:US 6,850,009 B2

BURR & BROWN
P.O. Box 7068
Syracuse, NY 13261-7068